

# Amarok Specifications



Commercial  
Vehicles

\*Local specification differs from model shown



# Amarok Life Specification



Commercial  
Vehicles



New Amarok Specification	PR #	2.3 TSI 222kW 4Motion Life Automatic
Engine		
Cylinders		4
Capacity (cm3)		222 @ 5,900
Output (kW @ r/min)		452 @ 3,350
Torque (Nm @ r/min)		222
CO2 emissions (g/km)		195
Transmission		
6-speed manual		-
6-speed automatic		-
10-speed automatic (shift by wire)		X
Performance		
Top speed (km/h)		180
Fuel consumption		
Combined		9.7
Body		
Black bumper in rear	2K2	X
Black radiator grille	6KC	X
Body-colored bumper in front	2JF	X
Body-colored exterior mirror housings and door handles	6FA	X
Body-colored rear gate handle	6V2	X
Side steps with chrome inserts	QT7	X
Dark-tinted (privacy glass) rear side windows and rear window	QL5	X
Exterior mirrors, power-adjustable and power-folding	6XB	X
Fuel filler door, non-lockable	2W0	X
Heated rear window	8P1	X
Interior door handles in Black	6JC	X
Laminated windshield	4GF	X

Mud flaps at front and rear	6N2	X
Tie-downs on the cargo area	6B0	X
<b>Chassis</b>		
255/70 R17 112T all-terran tires	H2A	X
Alloy wheels "Combra" 7.5 x 17 all-terrain tires, spare wheel (steel) with original equipment tire	Z0Q	X
255/65 R18 all-terrain tires	84K	X
Alloy wheels "Amadora" 7.5 x 18, all-terrain tires, spare wheel (alloy wheel) with original equipment tire	Z8H	X
Differential lock in rear	1Y4	X
Part-time 4MOTION (2H, 4H, 4L)	0R3	X
Standard suspension system	1BA	X
Wheel locks	1PB	X
<b>Safety Equipment</b>		
3 head restraints in 2nd row of seats	3Q1	X
3-point belts in 2nd row of seats	4PP	X
3-point belts, in addition height-adjustable in 1st row of seats	3QB	X
Child seat anchors ISOFIX on outer rear seats, i-Size compatible	3B5	X
Driver and front passenger airbags with front passenger airbag deactivation	4UF	X
Electromechanical parking brake	UH2	X
Electronic Stability Control	1AK	X
LED front fog lamps	8WH	X
LED headlamps	8EX	X
Rear combination lamps	8SA	X
Top tether	3G3	X
Warning signal and warning lamp for front seat belts not fastened	9P3	X
<b>Interior Equipment</b>		
2 reading lights for driver and front passenger with glasses compartment in overhead console	7N2	X
3-seater bench in 2nd row of seats	3UH	X
6 speakers	8RL	X
Carpet floor covering	5AD	X
Center armrest in rear on 3-seater bench	6D1	X

Driver and front passenger seats with 8-way adjustment	3PQ	X
Driver seat with map pocket	4U6	X
Gearshift/selector lever knob	6R0	X
Gearshift/selector lever knob, leather	6R2	X
Glove compartment, illuminated	4Z5	X
Headliner (in Stone Gray)	6NT	X
Leather-wrapped multi-function steering wheel	2ZU	X
Particle filter	2V1	X
Roof grab handles on driver side and front passenger side, rigid grab handles on A-pillar	5N3	X
Seat trim covers in fabric Life	NOK	X
Sun visor on driver and front passenger side with illuminated vanity mirror	5XA	X
Rubber floor mats	0TG	X
<b>Functional Equipment</b>		
2 vehicle keys	8QM	X
Air conditioning system with manual control	9AP	X
AM/FM antenna	QV0	X
Central locking system with SAFELOCK, with radio remote control	4K3	X
Cruise control system with speed limiter	8T3	X
Digital cockpit with 20.3-cm (8-inch) color screen	9Q1	X
Headlight range control	8K1	X
Heating and fresh air system	9M0	X
Infotainment system with 25.6-cm (10.1-inch) color touch screen	I8P	X
Intermittent windshield wiper control with rain sensor	8N3	X
LED cargo area lighting	9CW	X
Park Distance Control in front and rear	7X2	X
Power windows in front and rear	4R1	X
Rear gate lockable via central locking system	3RQ	X
Rear view camera system	KA1	X
Removable trailer hitch, 7-pin	1D1, IP3	X
<b>Dimensions / Capacities</b>		
Fuel tank (l)		80

Wading depth (mm)	800
Length (mm)	5 350
Height (mm)	1 884
Width (mm)	1 910
Wheelbase (mm)	3 270
Turning circle (m)	12.93
Ground clearance (mm) - measured under the front axle	237
Approach / Departure angle (°) (excl. trailer hitch)	30 / 26
Ramp angle (°)	21
Load compartment length (mm)	1 624
Load compartment width between wheelhouses (mm)	1 227
Load compartment height of the side walls (mm)	529
<b>Weights</b>	
Roof load limit (kg) (Moving/Static)	85 / 350
Axle load limit front / rear (kg)	1 450 / 1 959
Kerb Mass (minimum) without driver and with fuel (kg)	2 106
Maximum payload capacity (kg) ~ based on minimum kerb mass	1 124
Gross Vehicle Mass (GVM) (kg)	3 230
Towing capacity: unbraked (kg)	750
Towing capacity: braked (kg)	3 500
Gross Combined Mass (GCM) (kg)	6 500
<b>Guarantees</b>	
3-year / 120 000 km manufacturer warranty	X
<b>Disclaimer</b>	

Dimensions, capacities and abilities apply to standard vehicles.  
Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.  
The above information is effective as at June 2024 and is subject to change.



# Amarok Style Specification



Commercial  
Vehicles



New Amarok Specification	PR #	2.3 TSI 222kW 4Motion Style Automatic
Engine		
Cylinders		4
Capacity (cm3)		2261
Output (kW @ r/min)		222 @ 5 900
Torque (Nm @ r/min)		452 @ 3 350
CO2 emissions (g/km)		222
Transmission		
10-speed automatic (shift by wire)		X
Performance		
Top speed (km/h)		180
Fuel consumption		
Combined		9.7
Body		
Black bumper in rear with chrome-plated styling elements	2K1	X
Body-colored bumper in front	2JF	X
Body-colored exterior mirror housings and door handles	6FA	X
Body-colored rear gate handle	6V2	X
Side steps with chrome inserts	QT8	X
Dark-tinted (privacy glass) rear side windows and rear window	QL5	X
Exterior mirrors, power-adjustable, heated and power-folding, with surround lighting	6XE	X
Heated rear window	8P1	X
Interior door handles in chrome	6JE	X
Laminated windshield made of insulating glass	4GL	X
Load compartment trim in plastic with 12-V outlet in side panel	3GP	X
Mud flaps at front and rear	6N2	X
Styling bar in chrome	IB2	X
Radiator grille with chrome bezel	6KA	X



Tie-downs on the cargo area	6B0	X
<b>Chassis</b>		
All-terrain tires 255/65 R18	84K	X
Alloy wheels "Amadora" 7.5 x 18, all-terrain tires, spare wheel (alloy wheel) with original equipment tire	Z8H	X
Extended part-time 4MOTION (2H, 4H, 4L, 4A)	0R1	X
Differential lock in rear	1Y4	X
Standard suspension system	1BA	X
Wheel locks	1PB	X
<b>Safety Equipment</b>		
3 head restraints in 2nd row of seats	3Q1	X
3-point belts in 2nd row of seats	4PP	X
3-point belts, in addition height-adjustable in 1st row of seats	3QB	X
Driver and front passenger airbags with front passenger airbag deactivation	4UF	X
Autonomous Emergency Braking with Pedestrian and Cyclist Monitoring	UZ1	X
Child seat anchors ISOFIX on outer rear seats, i-Size compatible	3B5	X
Electromechanical parking brake	UH2	X
Electronic Stability Control and electromechanical brake booster	1AT	X
LED front fog lamps	8WH	X
LED headlamps	8EX	X
Rear combination lamps	8SA	X
Tire Pressure Monitoring System (direct measurement)	7K3	X
Top tether	3G3	X
Warning signal and warning lamp for front seat belts not fastened	9P3	X
<b>Interior Equipment</b>		
10-way power-adjustable driver seat and 8-way adjustable front passenger seat	3PZ	X
2 reading lights for driver and front passenger with glasses compartment in overhead console	7N2	X
3-seater bench in 2nd row of seats	3UH	X
6 speakers	8RL	X
Automatic transmission selector lever with shift-by-wire technology	0G2	X
Carpet floor covering	5AD	X
Center armrest in rear on 3-seater bench	6D1	X



Driver seat with map pocket	4U6	X
Gearshift/selector lever knob, leather	6R2	X
Glove compartment, illuminated and lockable	4Z3	X
Headliner (in Stone Gray)	6NT	X
Leather-wrapped multi-function steering wheel	2ZU	X
Particle filter	2V1	X
Roof grab handles on driver side and front passenger side, rigid grab handles on A-pillar	5N3	X
Seat heater for both seats in cab, left and right individually controllable	4A3	X
Seat trim covers Style with ArtVelours microfleece insert	N0L	X
Sun visor on driver and front passenger side with illuminated vanity mirror	5XA	X
Velour floor mats	0TD	X
<b>Functional Equipment</b>		
1 USB charging socket on the interior rearview mirror	UF1	X
120-V/230-V outlet in rear center console and in cargo area	9Z2	X
2 vehicle keys	8QJ	X
2-zone Climatronic air conditioning system	KH4	X
AM/FM antenna	QV0	X
Automatic Post-Collision Braking System	7W1	X
Central locking system with keyless locking and starting system Keyless Access with SAFELOCK	4I6	X
Cruise control system with speed limiter	8T3	X
Premium dashboard in leather look (vinyl)	4N3	X
Digital cockpit with 31.2-cm (12.3-inch) color screen	9Q2	X
Headlight range control	8K1	X
Heating and fresh air system	9M0	X
High-beam control Light Assist	8Q1	X
Inductive charging feature	EK2	X
Infotainment system with 30.5-cm (12-inch) color touch screen	I8Q	X
Intermittent windshield wiper control with rain sensor	8N3	X
Lane keeping system Lane Assist	7Y2	X
Park Distance Control in front and rear	7X2	X
Power windows in front and rear	4R1	X



Rear gate lockable via central locking system	3RQ	X
Rear view camera system, analog	KA1	X
Removable trailer hitch, 7-pin	1D1, IP3	X
<b>Dimensions / Capacities</b>		
Fuel tank (l)		80
Wading depth (mm)		800
Length (mm)		5 350
Height (mm)		1 884
Width (mm)		1 910
Wheelbase (mm)		3 270
Turning circle (m)		12.93
Ground clearance (mm) - measured under the front axle		237
Approach / Departure angle (°) (excl. trailer hitch)		30 / 26
Ramp angle (°)		21
Load compartment length (mm)		1 624
Load compartment width between wheelhouses (mm)		1 227
Load compartment height of the side walls (mm)		529
<b>Weights</b>		
Roof load limit (kg) (Moving/Static)		85 / 350
Axle load limit front / rear (kg)		1 450 / 1 959
Kerb Mass (minimum) without driver and with fuel (kg)		2 106
Maximum payload capacity (kg) ~ based on minimum kerb mass		1 124
Gross Vehicle Mass (GVM) (kg)		3 230
Towing capacity: unbraked (kg)		750
Towing capacity: braked (kg)		3 500
Gross Combined Mass (GCM) (kg)		6 500



---

**Guarantees**

3-year / 120 000 km manufacturer warranty X

---

**Disclaimer**

---

Dimensions, capacities and abilities apply to standard vehicles.  
Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.  
The above information is effective as at January 2024 and is subject to change.

---

Classification:Internal and External  
CSD document class 8.3/ retention period: 15 years from creation

Classification:Internal and External  
CSD document class 8.3/ retention  
period: 15 years from creation

---



# Amarok PanAmericana Specification



Commercial  
Vehicles



New Amarok Specification	PR #	2.3 TSI 222kW 4Motion PanAmericana Automatic
Engine		
Cylinders		4
Capacity (cm3)		2261
Output (kW @ r/min)		222 @ 5,900
Torque (Nm @ r/min)		452 @ 3,350
CO2 emissions (g/km)		222
Transmission		
10-speed automatic (shift by wire)		X
Performance		
Top speed (km/h)		180
Fuel consumption		
Combined		9.7
Body		
Black rear gate handle	6V3	X
Body-colored bumper in front, X-style	2JB	X
Dark Matte Gray bumper in rear	2K3	X
Exterior mirror housings and door handles in Dark Matte Gray	6FP	X
Exterior mirrors, power-adjustable, heated and power-folding, with surround lighting	6XE	X
Heated rear window	8P1	X
Interior door handles in chrome	6JE	X
Laminated windshield made of insulating glass	4GL	X
Load compartment trim in plastic with 12-V outlet in side panel	3GP	X
Mud flaps at front and rear	6N2	X
Powder-coated (Black) styling bar	IB4	X
Radiator grille with chrome bezel	6KA	X
Side steps	QT7	X
Tie-downs on the cargo area	6B0	X



Silver roof rails	3S1	X
Underbody cladding for engine and transfer case in steel, underbody cladding for fuel tank in plastic	1SB	X
<b>Chassis</b>		
All-terrain tires 255/65 R18	84K	X
4 alloy wheels "Amadora", painted Black, spare wheel (alloy rim) with original equipment tire	45P	X
Differential lock in rear	1Y4	X
Extended part-time 4MOTION (2H, 4H, 4L, 4A)	OR1	X
Standard suspension system	1BA	X
Wheel locks	1PB	X
<b>Safety Equipment</b>		
3 head restraints in 2nd row of seats	3Q1	X
3-point belts in 2nd row of seats	4PP	X
3-point belts, in addition height-adjustable in 1st row of seats	3QB	X
Advanced high-beam control Dynamic Light Assist for IQ.LIGHT LED matrix headlamps	8G1	X
Autonomous Emergency Braking Front Assist with Pedestrian and Cyclist Monitoring	UZ3	X
Child seat anchors ISOFIX on outer rear seats, i-Size compatible	3B5	X
Driver and front passenger airbags with front passenger airbag deactivation	4UF	X
Electromechanical parking brake	UH2	X
Electronic Stability Control and electromechanical brake booster	1AT	X
IQ.LIGHT LED matrix headlamps	8IT	X
LED front fog lamps	8WH	X
LED rear combination lamps	8SK	X
Tire Pressure Monitoring System (direct measurement)	7K3	X
Top tether	3G3	X
Warning signal and warning lamp for front belts not fastened	9P3	X
<b>Interior Equipment</b>		
10-way power-adjustable driver and front passenger seats	3PK	X
2 reading lights for driver and front passenger with glasses compartment in overhead console	7N2	X
3-seater bench in 2nd row of seats	3UH	X
Automatic transmission selector lever with shift-by-wire technology	OG2	X
Carpet floor covering	5AD	X
Center armrest in rear on 3-seater bench	6D1	X

Driver seat with map pocket	4U6	X
Gearshift/selector lever knob, leather	6R2	X
Glove compartment, illuminated and lockable	4Z3	X
Headliner (in Ebony Black)	6NJ	X
Leather-wrapped multi-function steering wheel	2ZU	X
Particle filter	2V1	X
Roof grab handles on driver side and front passenger side, rigid grab handles on A-pillar	5N3	X
Seat heater for both seats in cab, left and right individually controllable	4A3	X
Seats in leather Cricket	N1D	X
Single-color ambient lighting, White	QQ1	X
Sound system "Harman Kardon" with 8 speakers, including subwoofer and 640 W total power output	8RM	X
Sun visor on driver and front passenger side with illuminated vanity mirror	5XA	X
Rubber floor mats	OTG	X
Sun visor on driver and front passenger side with illuminated vanity mirror	5XA	X
Rubber floor mats	OTG	X
<b>Functional Equipment</b>		
1 USB charging socket on the interior rearview mirror	UF1	X
120-V/230-V outlet in rear center console and in cargo area	9Z2	X
2 vehicle keys	8QJ	X
2-zone Climatronic air conditioning system	KH4	X
AM/FM antenna	QV0	X
Area View	KA6	X
Automatic Post-Collision Braking System	7W1	X
Central locking system with keyless locking and starting system Keyless Access with SAFELOCK	4I6	X
Cruise control system with Adaptive Cruise Control ACC stop & go	8T7	X
Digital cockpit with 31.2-cm (12.3-inch) color screen	9Q2	X
Dynamic headlight range control	8K7	X
Emission standard EU5	7MJ	X
Heating and fresh air system	9M0	X
High-beam control Light Assist	8Q1	X
Inductive charging feature	EK2	X
Infotainment system with 30.5-cm (12-inch) color touch screen for navigation system	I8X	X



Intermittent windshield wiper control with rain sensor	8N3	X
Lane keeping system Lane Assist and lange change system Side Assist incl. trailer support	79F	X
LED cargo area lighting	7Q1	X
Navigation system	9CW	X
Park Assist including Park Distance Control in front and rear including Rear Traffic Alert	8A2	X
Power windows in front and rear	4R1	X
Premium dashboard in leather look (vinyl)	4N3	X
Rear gate lockable via central locking system	3RQ	X
Removable trailer hitch, 7-pin	1D1, IP3	X
<b>Dimensions / Capacities</b>		
Fuel tank (l)		80
Wading depth (mm)		800
Length (mm)		5 350
Height (mm)		1 884
Width (mm)		1 910
Wheelbase (mm)		3 270
Turning circle (m)		12.93
Ground clearance (mm) - measured under the front axle		235
Approach / Departure angle (°) (excl. trailer hitch)		30 / 26
Ramp angle (°)		21
Load compartment length (mm)		1 624
Load compartment width between wheelhouses (mm)		1 227
Load compartment height of the side walls (mm)		529
<b>Weights</b>		
Roof load limit (kg) (Moving/Static)		85 / 350
Axle load limit front / rear (kg)		1,490/ 1,959
Kerb Mass (minimum) without driver and with fuel (kg)		2 175
Maximum payload capacity (kg) ~ based on minimum kerb mass		1 105
Gross Vehicle Mass (GVM) (kg)		3 280
Towing capacity: unbraked (kg)		750
Towing capacity: braked (kg)		3 500
Gross Combined Mass (GCM) (kg)		6 500

---

**Guarantees**

3-year / 120 000 km manufacturer warranty	X
---	---

---

**Disclaimer**

---

Dimensions, capacities and abilities apply to standard vehicles.  
Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.  
The above information is effective as at January 2024 and is subject to change.

---

Classification:Internal and External  
CSD document class 8.3/ retention period: 15 years from creation

Classification:Internal and External  
CSD document class 8.3/ retention  
period: 15 years from creation

---



# Amarok Aventura Specification



\*Local specification differs from model shown



Commercial  
Vehicles



New Amarok Specification	PR #	2.3 TSI 222kW 4Motion Aventura Automatic
Engine		
Cylinders		4
Capacity (cm3)		2261
Output (kW @ r/min)		222 @ 5,900
Torque (Nm @ r/min)		452 @ 3,350
CO2 emissions (g/km)		222
Transmission		
10-speed automatic (shift by wire)		X
Performance		
Top speed (km/h)		180
Fuel consumption		
Combined		8.4
Body		
Black bumper in rear with chrome-plated styling elements	2K1	X
Body-colored bumper in front, X-style	2JB	X
Body-colored rear gate handle	6V2	X
Chrome-plated exterior mirror housings and door handles	6FD	X
Dark-tinted (privacy glass) rear side windows and rear window	QL5	X
Exterior mirrors, power-adjustable, heated and power-folding, with surround lighting	6XE	X
Load compartment cover with power roll system and cargo area management system	3U7,6L6	X
Heated rear window	8P1	X
Interior door handles in chrome	6JE	X
Laminated windshield made of insulating glass	4GL	X
Load compartment trim in plastic with 12-V outlet in side panel	3GP	X
Mud flaps at front and rear	6N2	X
Radiator grille with chrome bezel	6KA	X
Side steps with chrome inserts	QT8	X



Sports bar	IB1	X
Tie-downs on the cargo area	6B0	X
Silver roof rails	3S1	X
Underbody cladding for engine and transfer case in steel, underbody cladding for fuel tank in plastic	1SB	X
<b>Chassis</b>		
255/55 R20 110V tires	83A	X
4 alloy wheels "Bendigo" 8 x 20, spare wheel (alloy rim) with original equipment tire	40T	X
Extended part-time 4MOTION (2H, 4H, 4L, 4A)	0R1	X
Differential lock in rear	1Y4	X
Standard suspension system	1BA	X
Wheel locks	1PB	X
<b>Safety Equipment</b>		
3 head restraints in 2nd row of seats	3Q1	X
3-point belts in 2nd row of seats	4PP	X
3-point belts, in addition height-adjustable in 1st row of seats	3QB	X
Advanced high-beam control Dynamic Light Assist for IQ.LIGHT LED matrix headlamps	8G1	X
Driver and front passenger airbags with front passenger airbag deactivation	4UF	X
Autonomous Emergency Braking Front Assist with Pedestrian and Cyclist Monitoring	UZ3	X
Child seat anchors ISOFIX on outer rear seats, i-Size compatible	3B5	X
Electromechanical parking brake	UH2	X
Electronic Stability Control and electromechanical brake booster	1AT	X
IQ.LIGHT LED matrix headlamps	8IT	X
LED front fog lamps	8WH	X
LED rear combination lamps	8SK	X
Tire Pressure Monitoring System (direct measurement)	7K3	X
Top tether	3G3	X
Warning signal and warning lamp for front seat belts not fastened	9P3	X
<b>Interior Equipment</b>		
10-way power-adjustable driver and front passenger seats	3PK	X
2 reading lights for driver and front passenger with glasses compartment in overhead console	7N2	X
3-seater bench in 2nd row of seats	3UH	X

Automatic transmission selector lever with shift-by-wire technology	0G2	X
Carpet floor covering	5AD	X
Center armrest in rear on 3-seater bench	6D1	X
Driver seat with map pocket	4U6	X
Gearshift/selector lever knob, leather	6R2	X
Glove compartment, illuminated and lockable	4Z3	X
Headliner (in Ebony Black)	6NJ	X
Leather-wrapped multi-function steering wheel	2ZU	X
Particle filter	2V1	X
Roof grab handles on driver side and front passenger side, rigid grab handles on A-pillar	5N3	X
Seat heater for both seats in cab, left and right individually controllable	4A3	X
Seats in leather Savona	N2M	X
Single-color ambient lighting, White	QQ1	X
Sound system "Harman Kardon" with 8 speakers, including subwoofer and 640 W total power output	8RM	X
Sun visor on driver and front passenger side with illuminated vanity mirror	5XA	X
Velour floor mats (Premium with lettering "Aventura")	0TN	X
<b>Functional Equipment</b>		
1 USB charging socket on the interior rearview mirror	UF1	X
120-V/230-V outlet in rear center console and in cargo area	9Z2	X
2 vehicle keys	8QJ	X
2-zone Climatronic air conditioning system	KH4	X
AM/FM antenna	QV0	X
Area View	KA6	X
Automatic Post-Collision Braking System	7W1	X
Central locking system with keyless locking and starting system Keyless Access with SAFELOCK	4I6	X
Cruise control system with Adaptive Cruise Control ACC stop & go	8T7	X
Digital cockpit with 31.2-cm (12.3-inch) color screen	9Q2	X
Dynamic headlight range control	8K7	X
Heating and fresh air system	9M0	X
High-beam control Light Assist	8Q1	X
Inductive charging feature	EK2	X



Infotainment system with 30.5-cm (12-inch) color touch screen for navigation system	I8X	X
Intermittent windshield wiper control with rain sensor	8N3	X
Lane keeping system Lane Assist and lange change system Side Assist incl. trailer support	79F	X
LED cargo area lighting	9CW	X
Navigation system	7Q1	X
Park Assist including Park Distance Control in front and rear including Rear Traffic Alert	8A2	X
Power windows in front and rear	4R1	X
Premium dashboard in leather look (vinyl)	4N3	X
Rear gate lockable via central locking system	3RQ	X
Removable trailer hitch, 7-pin	1D1, IP3	X
<b>Dimensions / Capacities</b>		
Fuel tank (l)		80
Wading depth (mm)		800
Length (mm)		5 350
Height (mm)		1 884
Width (mm)		1 910
Wheelbase (mm)		3 270.00
Turning circle (m)		13
Ground clearance (mm) - measured under the front axle		235
Approach / Departure angle (°) (excl. trailer hitch)		30 / 26
Ramp angle (°)		21
Load compartment length (mm)		1 624
Load compartment width between wheelhouses (mm)		1 227
Load compartment height of the side walls (mm)		529
<b>Weights</b>		
Roof load limit (kg) (Moving/Static)		85 / 350
Axle load limit front / rear (kg)		1,490/ 1,959
Kerb Mass (minimum) without driver and with fuel (kg)		2 175
Maximum payload capacity (kg) ~ based on minimum kerb mass		1 105
Gross Vehicle Mass (GVM) (kg)		3 280
Towing capacity: unbraked (kg)		750
Towing capacity: braked (kg)		3 500

Gross Combined Mass (GCM) (kg)	6 500
--------------------------------	-------

<b>Guarantees</b>
-------------------

3-year / 120 000 km manufacturer warranty	X
---	---

<b>Disclaimer</b>
-------------------

Dimensions, capacities and abilities apply to standard vehicles.  
Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.  
The above information is effective as at January 2024 and is subject to change.

Classification:Internal and External  
CSD document class 8.3/ retention period: 15 years from creation

Classification:Internal and External  
CSD document class 8.3/ retention  
period: 15 years from creation





Commercial  
Vehicles